

*P-touch*<sup>®</sup>  
ELECTRONIC LABELING SYSTEMS

# PT-H300

## Take-It-Anywhere Labeler with Brother™ Vivid Bright Display



For labeling in most any environment

**brother**<sup>®</sup>  
at your side

# Powerful functionality, combined with handheld portability.

Labeling to help improve productivity and organization is a best practice that's relevant for workplaces of every kind - not just the traditional office. That's why Brother™ designed the P-touch® PT-H300 with robust functionality in an easy-to-use, take-it-anywhere size. Its bright display, QWERTY-style keyboard and flexible power options make it the ideal label maker for store owners, caterers, warehouse managers, florists, retail supervisors, and other professionals whose work requires them to be away from a desk for much, if not all, of their working day.



## Create labels for a variety of applications... Wherever your office may be.



Label to *Organize & Identify*...



Label to *Look Professional*...



Label to *Protect Your Assets*...



Labels are for illustrative purposes. Actual output (such as font and margins) may vary.

# Professional labeling... in the palm of your hand.

## Preview work in most any lighting

Preview labels on the large Brother™ Vivid Bright Display to eliminate guesswork and help ensure satisfaction with label output. The display is bright enough to give a clear view of work, even in low-light conditions.

## Easy and accurate typing

Unlike many handheld labelers, the PT-H300 offers a generously-sized, QWERTY-style keyboard that makes typing easy and virtually effortless. In addition, the intuitive, one-touch formatting keys support quick label creation.



## Print large, easy-to-read labels for a variety of uses

Use durable, laminated TZe tapes up to 18mm wide (approximately 3/4") to make labels with up to five lines of text and graphics. Print up to 42 point text for maximum readability. The robust library of fonts, symbols, frames, and barcodes help to create virtually any label imagined.

## Flexible Power Source

Powered by included alkaline batteries, or an optional rechargeable Lithium-Ion battery\*, this labeler can go virtually anywhere. Great for professionals whose work requires them to be away from a desk for much, if not all, of their day.

## Key Features at a Glance:

- Preview work on the large Brother™ Vivid Bright Display
- Create durable labels for indoor or outdoor use
- Print multiple lines of text and graphics
- Intuitive one-touch keys for quick, easy label formatting
- Fast print speeds and pre-designed labels support efficient multi-label printing
- Powered by 6 x AA batteries (included)
- Optional rechargeable Li-ion battery pack available
- Hundreds of built-in symbols, fonts, frames, and barcodes
- 2-year limited warranty and free phone support for the life of the machine



\*Additional purchase required.

### Hardware Features:

Display	Graphical with Backlight
Display Size	15 characters x 3 lines
Maximum Tape Width	18mm
Built-in Memory	Up to 50 labels
Keyboard	QWERTY
Tape Cutter	Manual
Maximum Print Speed	20mm/sec.
Maximum Print Resolution	180 dpi
Maximum Print Height	15.8mm
Power Source	6 x AA batteries (included) Rechargeable Li-ion battery pack (optional) AC power adapter (optional)
Auto Power Off	Yes

### Accessories\*:

BA-E001	Optional rechargeable Li-ion battery pack
AD-E001	Optional AC power adapter

See next page for a detailed list of compatible tapes.

\* Additional purchase required.  
Labels are for illustrative purposes. Actual output (such as font and margins) may vary.

### Software Features:

Number of Fonts	14
Types of Fonts	Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, Germany, LetterGothic
Number of Font Styles	10
Number of Font Sizes	7
Maximum Print Lines	5
Number of Font Widths	3
Barcode Printing	9 kinds (CODE39, ITF 2/5, EAN13, EAN8, UPC-A, UPC-E, CODABAR, GS1-128(UCC/EAN128), CODE128)
Built-in Symbols	617
Built-in Frames	99
Auto Numbering	1-9, A-Z, a-z
Repeat Printing	Up to 9 copies
Vertical Printing	Yes
Mirror Printing	Yes
Number of Languages Supported	20



# About Our Tapes:

## Tapes for most any application\*

Choose from a wide variety of TZe tapes - use Standard Laminated Tapes for general workplace labeling, or use one of many specialty tapes for identifying wires and cables, or adding tamper-evident security. There's even non-laminated fabric iron-on tape for labeling uniforms, linens, and more. The split back tapes allow for hassle free application.



## Better performing labels by design

The PT-H300 uses tapes from our best-selling TZe laminated tape family. Text and images printed on TZe tape are protected by a thin, clear film to withstand water, grease, fading, abrasion, heat, cold, and demanding outdoor environments.



### Standard Adhesive Laminated Tapes:

Standard Adhesive Laminated Tapes stick to virtually any surface and are great for most applications, indoors and out.

<b>TZe-111</b>	6mm (0.23") x 8m (26.2 ft) Black on Clear tape
<b>TZe-211</b>	6mm (0.23") x 8m (26.2 ft) Black on White tape
<b>TZe-315</b>	6mm (0.23") x 8m (26.2 ft) White on Black tape
<b>TZe-121</b>	9mm (0.35") x 8m (26.2 ft) Black on Clear tape
<b>TZe-221</b>	9mm (0.35") x 8m (26.2 ft) Black on White tape
<b>TZe-325</b>	9mm (0.35") x 8m (26.2 ft) White on Black tape
<b>TZe-421</b>	9mm (0.35") x 8m (26.2 ft) Black on Red tape
<b>TZe-131</b>	12mm (0.47") x 8m (26.2 ft) Black on Clear tape
<b>TZe-135</b>	12mm (0.47") x 8m (26.2 ft) White on Clear tape
<b>TZe-231</b>	12mm (0.47") x 8m (26.2 ft) Black on White tape
<b>TZe-232</b>	12mm (0.47") x 8m (26.2 ft) Red on White tape
<b>TZe-334</b>	12mm (0.47") x 8m (26.2 ft) Gold on Black tape
<b>TZe-335</b>	12mm (0.47") x 8m (26.2 ft) White on Black tape
<b>TZe-631</b>	12mm (0.47") x 8m (26.2 ft) Black on Yellow tape
<b>TZe-141</b>	18mm (0.7") x 8m (26.2 ft) Black on Clear tape
<b>TZe-145</b>	18mm (0.7") x 8m (26.2 ft) White on Clear tape
<b>TZe-241</b>	18mm (0.7") x 8m (26.2 ft) Black on White tape
<b>TZe-242</b>	18mm (0.7") x 8m (26.2 ft) Red on White tape
<b>TZe-243</b>	18mm (0.7") x 8m (26.2 ft) Blue on White tape
<b>TZe-344</b>	18mm (0.7") x 8m (26.2 ft) Gold on Black tape
<b>TZe-345</b>	18mm (0.7") x 8m (26.2 ft) White on Black tape
<b>TZe-441</b>	18mm (0.7") x 8m (26.2 ft) Black on Red tape
<b>TZe-541</b>	18mm (0.7") x 8m (26.2 ft) Black on Blue tape
<b>TZe-545</b>	18mm (0.7") x 8m (26.2 ft) White on Blue tape
<b>TZe-641</b>	18mm (0.7") x 8m (26.2 ft) Black on Yellow tape
<b>TZe-741</b>	18mm (0.7") x 8m (26.2 ft) Black on Green tape
<b>TZe-B41</b>	18mm (0.7") x 5m (16.4 ft) Black on Fluorescent Orange tape

### Simply Stylish Laminated Tapes:

These brightly colored tapes give your labeling projects that extra color flair.

<b>TZe-MQ835</b>	12mm (0.47") x 5m (16.4 ft) White on Satin Gold tape
<b>TZe-MQ934</b>	12mm (0.47") x 5m (16.4 ft) Gold on Satin Silver tape
<b>TZe-MQG35</b>	12mm (0.47") x 5m (16.4 ft) White on Lime Green tape
<b>TZe-MQP35</b>	12mm (0.47") x 5m (16.4 ft) White on Berry Pink tape

### Super Narrow Tape:

This tape is non-laminated and perfect for labeling CD case spines and other narrow spaces.

<b>TZe-N201</b>	3.5mm (0.13") x 8m (26.2 ft) Black on White Non-Laminated tape
-----------------	----------------------------------------------------------------

### Extra-Strength Laminated Tapes:

These tapes have stronger adhesion strengths than standard adhesive tapes, making them ideal for uneven and rough-textured surfaces, slippery painted metal and plastic surfaces and surfaces exposed to harsh environments.

<b>TZe-S211</b>	6mm (0.23") x 8m (26.2 ft) Black on White Tape with Extra Strength Adhesive
<b>TZe-S121</b>	9mm (0.35") x 8m (26.2 ft) Black on Clear Tape with Extra Strength Adhesive
<b>TZe-S221</b>	9mm (0.35") x 8m (26.2 ft) Black on White Tape with Extra Strength Adhesive
<b>TZe-S621</b>	9mm (0.35") x 8m (26.2 ft) Black on Yellow Tape with Extra Strength Adhesive
<b>TZe-S131</b>	12mm (0.47") x 8m (26.2 ft) Black on Clear Tape with Extra Strength Adhesive
<b>TZe-S135</b>	12mm (0.47") x 8m (26.2 ft) White on Clear Tape with Extra Strength Adhesive
<b>TZe-S231</b>	12mm (0.47") x 8m (26.2 ft) Black on White Tape with Extra Strength Adhesive
<b>TZe-S631</b>	12mm (0.47") x 8m (26.2 ft) Black on Yellow Tape with Extra Strength Adhesive
<b>TZe-S141</b>	18mm (0.7") x 8m (26.2 ft) Black on Clear Tape with Extra Strength Adhesive
<b>TZe-S241</b>	18mm (0.7") x 8m (26.2 ft) Black on White Tape with Extra Strength Adhesive
<b>TZe-S641</b>	18mm (0.7") x 8m (26.2 ft) Black on Yellow Tape with Extra Strength Adhesive
<b>TZe-S941</b>	18mm (0.7") x 8m (26.2 ft) Black on Matte Silver Tape with Extra Strength Adhesive

### Wire and Cable Laminated Tapes:

This tape offers labeling solutions for textured surfaces, rounded edges, electrical wiring and audio/visual cables.

<b>TZe-FX231</b>	12mm (0.47") x 8m (26.2 ft) Black on White Flexible ID tape
<b>TZe-FX631</b>	12mm (0.47") x 8m (26.2 ft) Black on Yellow Flexible ID tape
<b>TZe-FX241</b>	18mm (0.7") x 8m (26.2 ft) Black on White Flexible ID tape

### Acid-Free Photo Safe Tapes<sup>^</sup>:

Acid-free adhesive laminated tapes are safe for photo-labeling, scrapbooking and other photo-sensitive materials.

<b>TZe-AF131</b>	12mm (0.47") x 8m (26.2 ft) Black on Clear Acid Free Tape
<b>TZe-AF231</b>	12mm (0.47") x 8m (26.2 ft) Black on White Acid Free Tape

### Tamper-Evident Laminated Tape:

This tape features a special tell-tale adhesive. If the label is removed, a checkerboard pattern will be left behind. Great for asset management.

<b>TZe-SE4</b>	18mm (0.7") x 8m (26.2 ft) Black on White Security tape
----------------	---------------------------------------------------------

### Iron-on Fabric Tape:

This tape can be adhered by ironing.

<b>TZe-FA3</b>	12mm (0.47") x 3m (9.8 ft) Navy Blue on White Fabric tape
----------------	-----------------------------------------------------------

Look for: **TZe**  
**TAPE**

<sup>^</sup> Claims that adhesive is "acid-free" and/or "photo-safe" are based upon: 1. Satisfactory test results obtained from Photographic Activity Tests per ISO14523 and non-acidic pH tests per TAPPI 509; 2. Certifications from material manufacturers; and 3. Atomic scans of adhesive following removal of backing paper.

Images are for illustrative purposes only. Actual output (such as font and margins) may vary. All trademarks referenced herein are the property of their respective companies. All specifications subject to change without notice.