



Print



Copy



Distribute



Fax



# Full-featured



Scan



Automate



On Site Service



Easy-to-use color touch screen allows access to all print, copy, fax and scan-to-email functions

Up to 20 ppm monochrome, 20 ppm color with 50-page automatic document feeder

Standard duplex input and output with optional finishing capability

Interactive prompting at touch screen for distributed, real-time indexing, routing and archival

# Lexmark

# X752e



Lexmark X752e



Lexmark X4500 MFP Option

## Advanced functionality

---

Color copy, print, scan and fax

---

Customizable color touch screen

---

## Save money

---

Consolidate multiple functions into one device

---

Black cost per page equal to most monochrome printers

---

## Simplify business processes

---

Customized document workflow with Lexmark Document Solutions Suite

---

Distributed EDMS document capture

---

Scan to email

---

## Versatile color applications

---

Print on demand for time-sensitive point-of-sale material

---

Brilliant color graphics

---

# The full-featured multifunction printer that allows you to print, move and manage your documents more efficiently.

<b>Lexmark X752e</b>	
<b>Part Number</b>	Canada 16C0467
<b>Technology</b>	Color tandem laser
<b>Speed</b>	Up to 20 ppm black and color
<b>Resolution</b>	2400 image quality, 1200 x 1200 dpi
<b>Processor</b>	600 MHz
<b>Memory (std./max.)</b>	128MB/512MB
<b>Connectivity</b>	Standard: 10/100BaseTX Ethernet and USB, one internal solutions port Optional: Token ring <sup>1</sup>
<b>Paper Capacity</b> Standard (in/out) Maximum (in/out)	600/250 3,100/3,900
<b>Paper Options</b>	Standard: 100-sheet manual input feeder, 500-sheet input tray, second 500-sheet input tray; 250-sheet output bin Optional: 500-sheet input drawer, 2,000-sheet input drawer; 5-bin output mailbox, output expander, 3,000-sheet high-capacity output finisher with staple, hole punch and job offset stack
<b>Paper Sources</b> Standard (in/out) Maximum (in/out)	3/1 5/7
<b>Digital Copying</b>	Speed: up to 20 cpm <sup>2</sup> Copy select: 1-999 Reduce/enlarge: 25% to 400% Paper Saver: 2-up or 4-up Date/time stamp: Adds date and time to top of each page Message overlay: Adds watermark to each page
<b>Fax Capabilities</b>	Maximum Fax Resolution: 400 x 400 dpi Modem Speed: 33.6 Kbps Receive Fax Receive to Memory Send Hard Copy Fax: Platen or ADF Send Soft Copy Fax Send to Fax Server Memory Send Group Fax
<b>Scanning Capabilities</b>	Scan File Formats: JPEG, Multipage TIFF, PDF, PostScript Type: Single-pass duplex, black and color Scan to FTP Server Scan to E-mail Scan to Workstation Max. Optical Resolution: 300 x 300 dpi
<b>Scanner Function Specifications</b>	Scanner type: Single pass duplex color Scanning speed: 23/14 ppm mono/color Maximum optical resolution: 300 x 300 dpi Document feeding mode: Flatbed and ADF built-in ADF capacity: 50 sheets Original document size: - ADF minimum 4.5 x 5.5 (in), 114 x 140 (mm) - ADF maximum 8.5 x 14 (in), 216 x 355 (mm) - Flatbed maximum 8.5 x 11 (in), 210 x 297 (mm) Original document thickness: up to 32 lb (120 g/m <sup>2</sup> )
<b>Size/Weight</b>	C752dtn: 23.8" x 18.5" x 28.9" (W x D x H) (604.5 mm x 469.9 mm x 734.1 mm) 132 lb (60 kg) Scanner: 33" x 21.5" x 13" (W x D x H) (838 mm x 564 mm x 330 mm) 26 lb (11.8 kg) Bundle: 57" x 26" x 46" (W x D x H) (1448 mm x 660 mm x 1168 mm) 396 lb (180 kg)
<b>Printer Duty Cycle</b>	Up to 85,000 pages per month
<b>Warranty</b>	1-year LexOnSite <sup>SM</sup> Repair
<b>Optional Software</b>	Lexmark Document Solutions Suite

<sup>1</sup> Requires Ringdale Token-Ring to Ethernet bridge for full functionality in Token-Ring environment

<sup>2</sup> "Scan once, print many" operation

